


The frame for aluminium and glass doors.



LINEAR INTERIOR SYSTEMS INC.

120 SERIES SYSTEM



770 mm ÷ 1500 mm




Max 3000 mm



Max 80 kg

### ALUMINIUM TRACK FINISHES

Standard Order:



**11 AS**  
Anodized Silver




**15 NS**  
Painted Black


Special Order:




**30. G**  
Graphite



**28. MG**  
Metal Grey




**39. WR**  
WhiteRal 9002




**00. W**  
White

Glass Finishes:




**LC**  
Clear




**LF**  
Frosted


Special Order:




**LB**  
Clear Bronze



**LG**  
Clear Grey















**SW**  
Super White










**RG** Reeded  
Glass

LINEAR INTERIOR SYSTEMS INC.



N°		TRACKS	kg	
1	1280		—	
2	1259		—	
3	1270		—	
4	1285		—	
5	1380		—	
6	181		—	
7	281		—	
8	273		—	
9	263		—	

N°		MULLIONS	kg	
10	567		—	
11	217		—	
12	227		—	







N°		GASKETS	kg	
13	266		—	
14	565		—	

N°		HARDWARE	kg	
15	273-1		—	
16	1577		—	
17	1587		—	
18	Auto Smooth Stop		80	FLUID NEW
	Standard		80	

**120** COMPLETE DOOR KIT 

<b>LIN</b> Complete kit	
120S	 <b>DOOR PANEL</b> (Sliding Aluminum Door)
120F	 <b>FIX DOOR PANEL</b> (Fix Aluminum Door)
	.
	1 N.2 Standard stoppers
	2 N.2 Fluid dampers <b>Eclettica</b>
	.
	1259 <b>W</b> – Wall
	1280 <b>C</b> – Ceiling
	1285 <b>C2</b> – Ceiling (Double)
	.
	273 STILE 273 - 1 " Thick Profile
	263 STILE 263 - 1 3/16" Thick Profile with Gasket


**Tracks** ALUMINUM FINISHES CODES 

CODE	FINISH COLOR		
3 11 0.0 .....		11 AS	Anodized Silver
3 15 0.0 .....		15 PB	Painted Black
3 28 0.0 .....		28 MG	Metal Grey
3 30 0.0 .....		30 G	Graphite
3 32 0.0 .....		32 PW	Painted White
3 39 0.0 .....		39 WR	White Rall 9002
			<b>STANDARD</b>
			<b>SPECIAL</b>

**Glass** GLASS FINISHES

CODE	FINISH COLOR		
.. LC		Clear	<b>STANDARD</b>
.. LF		Frosted	<b>STANDARD</b>
.. LB		Clear Bronze	<b>SPECIAL</b>
.. LG		Clear Grey	
.. SW		Super White	
.. RG		Reeded Glass	

EXAMPLE






**120** COMPLETE DOOR AND TRACK SYSTEMS

MEASUREMENTS DESCRIPTION

1280 / SINGLE UNDERMOUNT

1280



EXAMPLE



N.2 Fluid dampers		STILE PROFILE								
120S	.	2	.	1280	.	273	.	11	.	LC
Complete kit - Sliding				Single Under Mouting				Anodized Silver Finish		Clear Glass


120

COMPLETE DOOR AND TRACK SYSTEMS


MEASUREMENTS DESCRIPTION

1259 - WALL MOUNT

1259



EXAMPLE




120

COMPLETE DOOR AND TRACK SYSTEMS


MEASUREMENTS DESCRIPTION

1270 / WALL MOUNT

1270



EXAMPLE








**120** COMPLETE DOOR AND TRACK SYSTEMS


MEASUREMENTS DESCRIPTION

1285 / DOUBLE UNDER MOUNT

1285



EXAMPLE





# LINEAR

---

INTERIOR SYSTEMS INC.

1 SARAMIA CRESCENT  
CONCORD, ON, L4K 3S6  
CANADA

T: 905.265.0055 | [INFO@LINEARINTERIORSYSTEMS.COM](mailto:INFO@LINEARINTERIORSYSTEMS.COM)